

Overseas emerging respiratory virus intelligence

Influenza A(H5N1) - Situation at a glance

Oceania

NO DETECTIONS of influenza A(H5N1) in humans or animals in New Zealand, Australia or the South Pacific.

Global

ONE new human detection of A(H5N1), **ONE** new human detection of influenza A(H1N1)v and **ONE** new detection of A(H9N2) since the last monthly update.

Sporadic human detections of infection with different avian and swine influenza viruses continue.

Public health risk assessment - New Zealand



Overall public health risk of avian influenza A(H5N1) to Aotearoa New Zealand is **LOW**.

- Current absence of infected animals in New Zealand
- Potentially **HIGH** impact of the disease,
- **VERY LOW** likelihood of sustained human-to human transmission; and
- **VERY LOW** likelihood of importation of a human case of influenza A(H5N1).

World Health Organization

Global public health risk for currently known viruses at the human animal interface, including influenza A(H5N1), remains **LOW**

Contents

Highly Pathogenic Avian Influenza A(H5NX).....	4
Clade 2.3.4.4b	4
United States	5

Canada	6
United Kingdom	6
Mexico	6
Clade 2.3.2.1.e (previously classified as clade 2.3.2.1c).....	6
Clade 2.3.2.1a	7
Clade unknown.....	7
PHF Science public health risk assessment for H5N1 in New Zealand.....	8
Other human cases of avian and swine influenza	8
WHO risk assessment for influenza at the human-animal interface.....	9
Middle East respiratory syndrome coronavirus (MERS-CoV).....	9
Situational awareness: Global response limitations	9
References	10

Major content updates as of 26 March 2026 since the previous report are highlighted in green. The next scheduled update of this report is on 30 April 2026.

Highly Pathogenic Avian Influenza A(H5NX)

The joint FAO/WHO/WOAH assessment on the influenza A(H5N1) virus situation in animals and people was updated on 28 July 2025.[1] The assessment concludes that the global public health risk of influenza A(H5N1) remains low, and the risk for occupationally exposed persons remains low to moderate, depending on risk mitigation and hygiene measures in place and the local avian influenza epidemiological situation. Additional human infections in those exposed to infected animals or contaminated environments are likely to occur, however the public health impact of these infections remains minor at the global level.

H5NX infections have never been detected in New Zealand animals or people.

Clade 2.3.4.4b

Avian influenza A(H5N1) clade 2.3.4.4b has spread throughout poultry and wild birds across Africa, Asia, Europe and the Americas, and was detected on Antarctica’s mainland in February 2024.[2, 3] It has never been detected in New Zealand, Australia or Pacific Island Countries or Territories.

Influenza A(H5) has been detected in samples collected from southern elephant seals on Heard Island, a sub-Antarctic Australian territory.[4] Heard Island is 4000km south-west of Perth, and close to the French Kerguelen and Crozet sub-Antarctic islands where influenza A(H5) has recently been detected. The Australian government do not consider the detection to increase the risk to Australia.

Since January 2022, 86 human cases of avian influenza H5N1 clade 2.3.4.4b have been reported in Europe (8 cases), Asia (3 cases) and the Americas (75 cases¹). Eighty-two cases had direct or indirect exposure to sick poultry/birds (41 cases) or dairy cattle (41 cases) before illness onset, while three cases have no immediately known animal exposure. There is no evidence of sustained human-to-human transmission.[2, 5]

United States

There have been three known spillover events of influenza A(H5N1) clade 2.3.4.4b from birds into dairy cattle in the US. Genotype B3.13 was first detected in cattle on 25 March 2024, and two spillovers of genotype D1.1, the predominant strain circulating in migratory wild birds in the US, were detected in February 2025.[6, 7] Influenza A(H5N1) has been detected in 1,084 dairy herds in 19 states. In the past 30 days (to 16 December 2025), two detections among dairy herds were reported, including the first detection in Wisconsin.[8]

As of 24 November 2025, the US Centers for Disease Control and Prevention (CDC) has reported 41 human cases of infection with influenza A(H5) among dairy farms workers, mostly in California.[5] The most recently detected case was reported in February 2025. The majority of cases have been due to genotype B3.13, have had mild illnesses and recovered. There is no evidence of human-to-human transmission. Studies have demonstrated that seroprevalence to HPAI A(H5N1), even among workers with known exposures, is low reflecting the generally poor ability of this virus to transmit to humans.[9]

Between 2024 and 24 November 2025, the CDC has reported 24 confirmed cases of influenza A(H5) in poultry farm workers .[5, 10] Genotypes B3.13, D1.1 and D1.3 have been detected among these cases [11] Two cases have also been detected in owners of infected backyard poultry flocks [12]. Twenty-seven states have reported outbreaks in backyard and commercial poultry flocks in the past 30 days (as of 16 December).[13]

There have been three severe cases of influenza A(H5N1) infection in the US (one death, two hospitalisations), all associated with poultry and all due to genotype D1.1.[14, 15]

The US have confirmed three human cases of infection with influenza A(H5N1) where the source of infection is unknown; one in Missouri and two in California.[16-19] There is no evidence of human-to-human transmission in any of these cases.

Influenza A(H5N1) was confirmed in two pigs on a non-commercial farm with infected poultry in late 2024.[20] The genotype was D1.2 and similar to virus isolated from migratory birds in the area. No detections in pigs have been reported since.

On 15 November 2024, the State of Hawaii Department of Health confirmed the first detection of influenza A(H5N1) in Hawaii in a backyard flock of various birds.[21] It is likely that the virus (genotype A3) arrived via wild birds on the Pacific flyway. Influenza A(H5N1) has been confirmed in three wild ducks; Oahu island in October 2025 and Maui and Kauai in November 2025.[22, 23] It

¹ This includes H5 cases linked to outbreaks of A(H5N1) clade 2.3.4.4b but not further typed.

has also been detected in wastewater on two other islands in 2024 and 2025.[24] No human cases have been detected in Hawaii.

Canada

On 13 November 2024, the Public Health Agency of Canada confirmed their first domestically acquired human case of infection with influenza A(H5N1) in British Columbia.[25] The case, a teenager, had no underlying conditions, was hospitalised in critical condition but has since recovered. The virus was clade 2.3.4.4b genotype D1.1, the same strain currently circulating in wild birds and poultry in British Columbia.[26] The source of infection was never identified.

United Kingdom

On 27 January 2025, the United Kingdom Health Security Agency (UKHSA) reported a human case of infection with influenza A(H5N1).[27] The case was a poultry farm worker exposed to birds infected with genotype D1.2. Prior to this, the UK has detected two cases in poultry workers involved in depopulation activities.

On 24 March 2025, the United Kingdom Department for Environment, Food & Rural Affairs reported the world's first detection of influenza A(H5N1) in sheep.[28] A single positive sheep was identified via routine surveillance on a farm with influenza A(H5N1)-infected captive birds. The only clinical sign was mastitis. Influenza A(H5N1) was detected in a milk sample and a blood sample was positive for influenza A(H5) antibodies.[29] There have been no additional detections among sheep or other mammals on the premises.

Mexico

On 2 April 2025, Mexico notified the WHO of a human case of infection with influenza A(H5N1), the first confirmed case reported in the country.[30] The case, a child, had no underlying conditions and died in hospital. The virus was confirmed as clade 2.3.4.4b genotype D1.1. The source of infection remains under investigation. Influenza A(H5N1) has been detected in wild and captive birds in same state where the case resided in 2025. All contacts tested were negative for influenza A(H5N1).

Clade 2.3.2.1.e (previously classified as clade 2.3.2.1c)

A reassortment of A(H5N1), with surface genes from clade 2.3.2.1.c and internal genes from clade 2.3.4.4b has been circulating in the Greater Mekong subregion, including Cambodia and Vietnam, since 2023 and has caused human infections. [31]

In 2025, Cambodia has reported 18 cases of influenza A(H5N1).[32] The majority of cases were exposed to sick poultry prior to illness onset.[33] Since February 2023, Cambodia has reported 33 cases of influenza A(H5N1) to the WHO (as of 5 November 2025), of which 14 were fatal (42%) and all cases with known clade were clade 2.3.2.1e.

Cambodia reported nine influenza A(H5N1) cases in June and July, with five of these cases coming from the Siem Reap province.[28][34] All five cases had contact with sick and dead poultry. Poultry outbreaks near reported human cases have been reported to WOAHA.[1]

On 18 April 2025, Vietnam reported a human case of infection with A(H5N1) clade 2.3.2.1e.[35] The child had an underlying health condition and developed encephalitis. They had contact with sick birds two weeks before illness onset.

Clade 2.3.2.1a

On 31 May 2025, the WHO was notified by Bangladesh of a confirmed human case of infection with influenza A(H5N1).[36] The child was hospitalised and recovered. They were exposed to backyard poultry prior to illness onset. This is the third case of influenza A(H5N1) clade 2.3.2.1a reported in Bangladesh this year. The previous two cases, reported in May, both recovered.[37]

In May 2025, a fatal human case of infection with influenza A(H5N1) clade 2.3.2.1a was reported in India [36] Information on exposure history is not currently available. This is the second case reported in India this year, The previous case was reported in April and had no clear source of infection as there was no evidence of A(H5N1) circulation in avian populations near the case. There have been four reported human cases of influenza A(H5N1) acquired in India to date.[38]

On 22 May 2024, the Victorian Department of Health in Australia reported the retrospective identification of a human case of infection with influenza A(H5N1) clade 2.3.2.1a. The case was a child who acquired infection in India in March before returning to Australia and recovered following severe infection. There was no evidence of onwards human transmission. This clade has previously been detected among birds in India.[39]

Clade unknown

On 26 March, the first human case of influenza A(H9N2) was reported in the EU/EEA. The case was reported in the Lombardy region of Italy but had returned from a non-European country where the virus had previously been identified in birds. The case remains in hospital isolation. [40]

On 15 March, a second human case of influenza A(H5N1) for 2026 was reported in Cambodia, in the Banteay Meanchey province. The case had been in contact with home-raised ducks and chickens which had become ill and died. The case has been isolated in hospital and given antiviral medication. H5N1 continues to circulate in Cambodia's rural poultry populations. [41]

On 15 February, a human case of infection with influenza A(H5N1) was reported in Cambodia Kampot province. The case had contact with a dead chicken prior to illness onset and has since recovered. [42]

On 14 November 2024, a human case of infection with A(H5) was reported in Vietnam.[43] The N gene has not been reported for this case, although A(H5N1) detections in wild birds from the area were clade 2.3.2.1c. This case was exposed to sick poultry prior to illness onset and died from their infection.

On 10 May 2025, China notified the WHO of a human case of infection with influenza A(H5N1), The case was detected by routine screening on entry into the country from Vietnam.[37] The case was hospitalised and has since recovered. The most likely source of infection was domestic poultry.

PHF Science public health risk assessment for H5N1 in New Zealand

Given the current absence of infected animals in New Zealand, potentially high impact of the disease, very low likelihood of sustained human-to human transmission and very low likelihood of importation of a human case of influenza A(H5N1), the overall public health risk of avian influenza A(H5N1) to Aotearoa New Zealand is low. However, due to the pandemic potential of avian influenza viruses should there be a change in viral transmissibility, national preparedness activities led by the Ministry for Primary Industries, Health New Zealand and the Public Health Agency are ongoing.

Other human cases of avian and swine influenza

In February 2026, one human case of swine influenza A(H1N1)v was reported from Catalonia, Spain. The case has no known history of exposure to pigs or a contaminated environment and was detected as part of the acute respiratory infections surveillance system. The case remains asymptomatic and epidemiological investigations are ongoing. [44]

From 13 to 19 February 2026, two new cases of influenza A(H9N2) were reported, both from China. One was in a two-year-old male in Hunan Province and one in a 73-year-old female in Guangdong Province. Both had exposure to domestic parrots and live poultry market.

A new case of avian influenza A(H10N3) was reported in a 34-year-old male from Guangdong province in China. The case had exposure to live poultry. [45]

On 12 December 2025, Eurasian avian-like swine influenza A(H1N1)v virus in a human was reported from China in a 60-year-old male from Yunnan province. The case reported exposure to backyard pigs. [46]

From 20 December 2025 to 22 January 2026, there were three reports of influenza A(H9N2) detections in humans. All three cases were in China and had exposure to poultry. [47]

On 14 November 2025, the Washington State Department of Health in the US reported the first known human case influenza A(H5N5) infection globally.[48] The case, an older adult with underlying conditions, was hospitalised and has died.[49] Based on currently available information, the most likely source of infection is the case's backyard poultry flock which had exposure to wild birds. No additional cases have been detected. The WHO risk assessment is the same as other influenza A(H5) viruses; low in the general population and low to moderate in occupationally exposed individuals.[50]

On 21 November 2025, the US CDC reported a human case of infection with influenza A(H1N2) variant virus.[51] The case recovered from their illness. The investigation did not determine whether the case was exposed to swine or other animals prior to illness onset, or whether any close contacts were symptomatic. No additional cases have been identified. The virus has been confirmed as clade 2.3.4.4b genotype A6, which has commonly been detected in birds and mammals in North America.[32]

From 30 September to 5 November, one human case of infection with influenza A(H5N2) was reported in Mexico and two human cases of infection with influenza A(H9N2) were reported in

China.[52] The case of influenza A(H5N2) was hospitalised. Samples collected from animals at the case's residence, including birds and a dog, tested positive for influenza A(H5). Samples collected from close contacts tested negative. This is the second case of influenza A(H5N2) in Mexico since 2024. The two cases of influenza A(H9N2), reported in different provinces of China, both had exposure to poultry prior to illness onset and influenza A(H9) was detected in environmental samples collected during the investigations.

Australia has responded to 20 outbreaks of HPAI H7 in commercial and domestic poultry flocks since 2024, and is now considered free of influenza H7 in poultry.[53] There have been no associated human cases.

WHO risk assessment for influenza at the human-animal interface

As at 22 January 2026, the WHO advises that the overall public health risk from currently known influenza viruses at the human-animal interface remains low. Sustained human to human transmission of these viruses is currently considered unlikely, however, infections with viruses of animal origin are not unexpected at the human-animal interface wherever these viruses circulate in animals. [47]

Middle East respiratory syndrome coronavirus (MERS-CoV)

As of 5 January 2026, five new MERS cases have been reported in Saudi Arabia since the last update on 10 December 2025. Of the 19 MERS cases with onset in 2025, 17 were reported in Saudi Arabia. [54]

On 3 December 2025, the French Ministry of Health reported two imported cases of MERS-CoV who travelled in the same group to the Arabian Peninsula. No additional cases have been detected. These are the first cases of MERS-CoV detected in Europe since 2018.[55]

Twelve cases of MERS-CoV have been detected in Saudi Arabia in 2025 (as of 3 November).[56] This includes a cluster of seven cases, including six healthcare workers who acquired infection while caring for one patient. As of 12 May 2025, the WHO's risk assessment remains moderate at the global and regional levels. The WHO expects additional cases of MERS-CoV to be reported from the Middle East and/or other countries where MERS-CoV is circulating in dromedaries.

Situational awareness: Global response limitations

Surveillance and response capacity for emerging viruses is likely to be affected by reduced funding for global health security and One Health programmes led by international organisations such as WHO and FAO as well as national agencies overseas.[57-59]

References

1. FAO/WHO/WOAH. Updated joint FAO/WHO/WOAH public health assessment of recent influenza A(H5) virus events in animals and people. 28 July 2025.
2. FAO/WHO/WOAH. Updated joint FAO/WHO/WOAH public health assessment of recent influenza A(H5) virus events in animals and people. 17 April 2025.
3. World Organization for Animal Health. Wildlife under threat as avian influenza reaches Antarctica 13 March 2024 [Available from: <https://www.woah.org/en/wildlife-under-threat-as-avian-influenza-reaches-antarctica/>].
4. Department of Climate Change E, the Environment and Water,. Joint media release: Confirmation of H5 bird flu on sub-Antarctic Heard Island 25 November 2025 [Available from: <https://minister.dcceew.gov.au/watt/media-releases/joint-media-release-confirmation-h5-bird-flu-sub-antarctic-heard-island>].
5. US Centers for Disease Control and Prevention. H5 Bird Flu: Current Situation 24 November 2025 [Available from: <https://www.cdc.gov/bird-flu/situation-summary/index.html>].
6. US Department of Agriculture. The Occurrence of Another Highly Pathogenic Avian Influenza (HPAI) Spillover from Wild Birds into Dairy Cattle February 2025 [Available from: <https://www.aphis.usda.gov/sites/default/files/dairy-cattle-hpai-tech-brief.pdf>].
7. US Department of Agriculture. APHIS Identifies Third HPAI Spillover in Dairy Cattle 14 February 2025 [Available from: <https://www.aphis.usda.gov/news/program-update/aphis-identifies-third-hpai-spillover-dairy-cattle>].
8. US Department of Agriculture. HPAI Confirmed Cases in Livestock 16 December 2025 [Available from: <https://www.aphis.usda.gov/livestock-poultry-disease/avian/avian-influenza/hpai-detections/hpai-confirmed-cases-livestock>].
9. US Centers for Disease Control and Prevention. Summary of H5N1 Seroprevalence Studies 05 June 2024 [Available from: <https://www.cdc.gov/ncird/whats-new/H5N1-seroprevalence-studies.html>].
10. US Centers for Disease Control and Prevention. Weekly US Influenza Surveillance Report: Key Updates for Week 29, ending July 19, 2025 25 July 2025 [Available from: <https://www.cdc.gov/fluview/surveillance/2025-week-29.html>].
11. Garg S, Reinhart K, Couture A, Kniss K, Davis CT, Kirby MK, et al. Highly Pathogenic Avian Influenza A (H5N1) Virus Infections in Humans. *New England Journal of Medicine*. 2024.
12. US Centers for Disease Control and Prevention. CDC A(H5N1) Bird Flu Response Update 26 February 2025 [Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-02262025.html>].
13. US Department of Agriculture. Confirmations of Highly Pathogenic Avian Influenza in Commercial and Backyard Flocks 16 December 2025 [Available from: <https://www.aphis.usda.gov/livestock-poultry-disease/avian/avian-influenza/hpai-detections/commercial-backyard-flocks>].
14. US Centers for Disease Control and Prevention. First H5 Bird Flu Death Reported in United States 6 January 2025 [Available from: <https://www.cdc.gov/media/releases/2025/m0106-h5-birdflu-death.html>].
15. US Centers for Disease Control and Prevention. CDC A(H5N1) Bird Flu Response Update February 26, 2025 26 February 2025 [Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-02262025.html>].
16. US Centers for Disease Control and Prevention. Technical Update: Summary Analysis of the Genetic Sequence of a Highly Pathogenic Avian Influenza A(H5N1) Virus Identified in a Child in California 10 December 2024 [Available from: <https://www.cdc.gov/bird-flu/spotlights/h5n1-response-12092024.html>].
17. San Francisco Department of Public Health. Presumptive Bird Flu Case Identified In San Francisco Resident 10 January 2025 [Available from: <https://www.sf.gov/news--presumptive-bird-flu-case-identified-san-francisco-resident>].
18. US Centers for Disease Control and Prevention. CDC Confirms Human H5 Bird Flu Case in Missouri 06 September 2024 [Available from: <https://www.cdc.gov/media/releases/2024/s0906-birdflu-case-missouri.html>].
19. US Centers for Disease Control and Prevention. CDC Report on Missouri H5N1 Serology Testing 24 October 2024 [Available from: <https://www.cdc.gov/bird-flu/spotlights/missouri-h5n1-serology-testing.html>].
20. US Department of Agriculture. USDA Animal and Plant Health Inspection Service Shares Update on H5N1 Detection in Oregon Swine, Bovine Vaccine Candidate Progression 6 November 2024 [Available from: <https://www.aphis.usda.gov/news/program-update/usda-animals-plant-health-inspection-service-shares-update-on-h5n1-detection-in-oregon-swine-bovine-vaccine-candidate-progression>].

<https://www.aphis.usda.gov/news/agency-announcements/usda-animal-plant-health-inspection-service-shares-update-h5n1-detection>.

21. State of Hawaii Department of Health. Avian influenza confirmed in backyard flock of birds 15 November 2024 [Available from: <https://health.hawaii.gov/news/newsroom/avian-influenza-confirmed-in-backyard-flock-of-birds/>].
22. State of Hawaii Department of Agriculture. State agencies respond to second confirmed case of highly pathogenic avian influenza in Hawai'i 14 November 2025 [Available from: <https://dlnr.hawaii.gov/blog/2025/11/14/nr25-130/>].
23. State of Hawaii Department of Land and Natural Resources, Department of Agriculture and Biosecurity and Department of Health,. State agencies response to third possible case of highly pathogenic avian influenza in Hawai'i 11 December 2025 [Available from: <https://dab.hawaii.gov/blog/main/nr-kauai-duck/>].
24. State of Hawaii Department of Agriculture. Avian Influenza July 2025 [Available from: https://health.hawaii.gov/docd/disease_listing/avian-influenza/].
25. Public Health Agency of Canada. Statement from the Public Health Agency of Canada: Update on Avian Influenza and Risk to Canadians 13 November 2024 [Available from: <https://www.canada.ca/en/public-health/news/2024/11/update-on-avian-influenza-and-risk-to-canadians.html>].
26. Government of British Columbia. Final update on human avian influenza case in B.C. 26 November 2024 [Available from: <https://news.gov.bc.ca/releases/2024HLTH0155-001601>].
27. UK Health Security Agency. Human case of avian flu detected in England 27 January 2025 [Available from: <https://www.gov.uk/government/news/human-case-of-avian-flu-detected-in-england>].
28. UK Department for Environment FRA. Influenza of avian origin confirmed in a sheep in Yorkshire 24 March 2025 [Available from: <https://www.gov.uk/government/news/influenza-of-avian-origin-confirmed-in-a-sheep-in-yorkshire>].
29. UK Department for Environment FRA. Confirmed findings of influenza of avian origin in captive mammals 24 March 2025 [Available from: <https://www.gov.uk/government/publications/bird-flu-avian-influenza-findings-in-captive-mammals/confirmed-findings-of-influenza-of-avian-origin-in-captive-mammals>].
30. World Health Organization. Avian Influenza A(H5N1) - Mexico 17 April 2025 [Available from: <https://www.who.int/emergencies/disease-outbreak-news/item/2025-DON564>].
31. Center for Infectious Disease Research & Policy. Vietnam reports human H5 avian flu case 5 December 2024 [Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/vietnam-reports-human-h5-avian-flu-case>].
32. European Centre for Disease Prevention and Control. Communicable disease threats report, 15 -21 November 2025, week 47. 21 November 2025.
33. World Health Organization. Avian Influenza A(H5N1) - Cambodia. 5 July 2025.
34. Center for Infectious Disease Research & Policy. H5N1 avian flu hospitalizes Cambodian man 30 July 2025 [Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/h5n1-avian-flu-hospitalizes-cambodian-man>].
35. Center for Infectious Disease Research & Policy. Vietnam reports H5N1 avian flu case with encephalitis 22 April 2025 [Available from: <https://www.cidrap.umn.edu/avian-influenza-bird-flu/vietnam-reports-h5n1-avian-flu-case-encephalitis>].
36. World Health Organization. Influenza at the human-animal interface summary and assessment. 1 July 2025.
37. World Health Organization. Influenza at the human-animal interface summary and assessment. 27 May 2025.
38. GISAID. Data from India's recent fatal human H5N1 case released 2025 [Available from: <https://gisaid.org/>].
39. World Health Organization. Avian Influenza A (H5N1) - Australia 07 June 2024 [Available from: <https://www.who.int/emergencies/disease-outbreak-news/item/2024-DON519>].
40. European Centre for Disease Prevention and Control. First imported human case of influenza A(H9N2) infection in the EU 2026 [Available from: <https://www.ecdc.europa.eu/en/news-events/first-imported-human-case-influenza-ah9n2-infection-eu>].
41. BEACON. Cambodia reports second human case of HPAI (H5N1) in 2026 linked to backyard poultry exposure in Banteay Meanchey Province 2026 [Available from:]

<https://beaconbio.org/en/report/?reportid=e62976af-4dd4-4e8b-b121-8a09fa7b600d&eventid=999496bb-0b95-44ec-85c3-42e5d79b8820&page=2>.

42. ProMED. AVIAN INFLUENZA, HUMAN - CAMBODIA: (KAMPOT) H5N1, POULTRY EXPOSURE 17 February 2026 [Available from: <https://www.promedmail.org/alert/8730903>].
43. European Food Safety Authority, European Centre for Disease Prevention and Control, European Union Reference Laboratory for Avian Influenza, Alexakis L et al. Avian influenza overview September–December 2024 18 December 2024.
44. European Centre for Disease Prevention and Control. Communicable disease threats report Week 9, 21-27 February 2026. 2026.
45. World Health Organization. Avian Influenza Weekly Update Number 1034. 20 February 2026.
46. World Health Organization. Influenza at the human-animal interface summary and assessment 19 December 2025 [Available from: <https://www.who.int/publications/m/item/influenza-at-the-human-animal-interface-summary-and-assessment--19-december-2025>].
47. World Health Organization. Influenza at the human-animal interface summary and assessment, 22 January 2026. 22 January 2026.
48. Washington State Department of Health. H5N5 Avian influenza confirmed in Grays Harbor County resident 14 November 2025 [Available from: <https://doh.wa.gov/newsroom/h5n5-avian-influenza-confirmed-grays-harbor-county-resident>].
49. Washington State Department of Health. Grays Harbor County resident dies from complications of avian influenza 21 November 2025 [Available from: <https://doh.wa.gov/newsroom/grays-harbor-county-resident-dies-complications-avian-influenza>].
50. World Health Organization. Avian Influenza A(H5N5) - United States of America 5 December 2025 [Available from: <https://www.who.int/emergencies/disease-outbreak-news/item/2025-DON590>].
51. US Centers for Disease Control and Prevention. Weekly US Influenza Surveillance Report: Key Updates for Week 46, ending November 15, 2025 21 November 2025 [Available from: <https://www.cdc.gov/fluview/surveillance/2025-week-46.html>].
52. World Health Organization. Influenza at the human-animal interface summary and assessment. 5 November 2025.
53. Australian Government. H7 high pathogenicity avian influenza 27 June 2025 [Available from: <https://www.outbreak.gov.au/current-outbreaks/avian-influenza>].
54. European Centre for Disease Prevention and Control. MERS-CoV worldwide overview 29 January 2026 [Available from: <https://www.ecdc.europa.eu/en/middle-east-respiratory-syndrome-coronavirus-mers-cov-situation-update>].
55. European Centre for Disease Prevention and Control. Communicable disease threats report, 29 November - 5 December 2025, week 49. 5 December 2025.
56. European Centre for Disease Prevention and Control. Communicable disease threats report, 1-7 November 2025, week 45. 7 November 2025.
57. Food and Agriculture Organization of the United Nations. Briefing to Permanent Representatives Risks to FAO's Capacity for Preventing and Responding to Transboundary Animal Diseases Opening Remarks 19 June 2025 [Available from: <https://www.fao.org/director-general/speeches/details/briefing-to-permanent-representatives-risks-to-fao-s-capacity-for-preventing-and-responding-to-transboundary-animal-diseases-opening-remarks/en>].
58. Health Policy Watch. WHO Budget Crisis Bigger Than Previously Thought – \$2.5 Billion Gap for 2025-2027 02 April 2025 [Available from: <https://healthpolicy-watch.news/who-budget-crisis-bigger-than-previously-thought-2-5-billion-gap-for-2025-2027/>].
59. Imperial College London. UK-US experts discuss next generation of biosecurity infrastructure 26 September 2025 [Available from: <https://www.imperial.ac.uk/news/269033/uk-us-experts-discuss-next-generation-biosecurity/>].