

Overseas emerging respiratory virus intelligence

Influenza A(H5N1) - Situation at a glance

Oceania

Influenza A(H5N1) clade 2.3.4.4b
DETECTED in **THREE** birds in NZ and has been detected in **SIX** states and Territories of Australia


Global

Since the last monthly update on 16 July:

NO NEW CASES of influenza A(H5N1) in humans.

Sporadic human detections of different avian and swine influenza viruses continue.

Public health risk assessment - New Zealand



Overall public health risk of **avian influenza A (H5) Clade 2.3.4.4b** to Aotearoa New Zealand is **LOW**.

- **VERY LOW** likelihood of infection,
- Potentially **MODERATE** health impacts of the disease,
- **VERY LOW** likelihood of human-to human transmission; and
- **VERY LOW** likelihood of importation of a human case of influenza A (H5) Clade 2.3.4.4b

World Health Organization

Global public health risk for currently known viruses at the human animal interface, including influenza A(H5N1), remains **LOW**

Contents

Highly Pathogenic Avian Influenza A(H5)	3
Epidemiology of influenza A(H5N1) clade 2.3.4.4b	3
New Zealand	3
Australia	3
Global updates	3
Other human cases of avian and swine influenza reported in 2026	3
Human cases of influenza A(H9N2)	3
Human cases of other influenza A subtypes	4
International risk assessment for influenza at the human-animal interface	5
Situational awareness: Global response limitations	5
Middle East respiratory syndrome coronavirus (MERS-CoV)	3
References	3

Major new content as of **10 September** 2026 is highlighted in **green**. The next scheduled update of this report is on 8 October 2026. **Please note that we have changed the format of this report since the last update.** Please refer to the 6 August 2026 version available in the [Digital library](#) for more detail on previously reported cases and detections.

Highly Pathogenic Avian Influenza A(H5)

Human cases of influenza A(H5) reported in 2026 to 10 September 2026 are documented in Table 1.

Table 1 Influenza H5 cases reported during 2026 to date

Report date	Country	Symptom onset	Subtype	Clade	Outcome	Ref
9 February 2026	Bangladesh	21 January 2026	H5N1	2.3.2.1a	Died	[1]
27 March 2026	India	Approximately 19 March 2026	H5N1	2.3.2.1a	Hospitalised	[2]
15 February - 31 March 2026	Cambodia	5 February 2026	H5N1	2.3.2.1e	Not stated	[1]
15 February - 31 March 2026	Cambodia	13 March 2026 (sample collection date)	H5N1	2.3.2.1e	Not stated	[1]
15 February - 31 March 2026	Cambodia	28 March 2026	H5N1	2.3.2.1e	Hospitalised	[1]
23 April 2026	Bangladesh	28 March 2026	H5N1	Not reported	Hospitalised	[2]
22 April 2026	Cambodia	15 April 2026	H5N1	2.3.2.1e	Died	[2]
29 April 2026	China	16 April 2026	H5N6	Not reported	Died	[2]
15 June 2026	Bangladesh	17 May 2026	H5N1	Not reported	Received outpatient healthcare	[3]
11 July 2026	Cambodia	30 June 2026	H5N1	2.3.2.1e	Hospitalised	[4, 5]

Epidemiology of influenza A(H5N1) clade 2.3.4.4b

Avian influenza A(H5N1) clade 2.3.4.4b emerged in 2020 and has spread widely throughout wild and domesticated birds and some mammal species across Africa, Asia, Europe and the Americas since this time. It was detected in Antarctica in 2023 and a sub-Antarctic Australian territory in 2024. In June 2026, influenza A(H5N1) clade 2.3.4.4b was detected in Australia for the first time, followed by New Zealand in July 2026. As of 8 September 2026, there have been no detections in Pacific Island Countries or Territories.[6]

From 1 January 2026 to 10 August 2026, no human cases of clade 2.3.4.4b avian influenza have been reported to WHO.

Eight human cases of clade 2.3.4.4b were reported in 2025.

New Zealand

As of 2 September 2026, New Zealand has three confirmed detections of H5 high pathogenicity avian influenza in birds. The third case was confirmed on 21 August in a northern giant petrel found in the Wairarapa. The second case was reported on 17 July 2026, in a kāhu (swamp harrier hawk) in the Wairarapa. The first ever detection of H5 in New Zealand was in an ocean-going wild sea bird (brown skua) found on Petone beach, Wellington. There is no evidence of mass mortality in wildlife, no evidence of transmission between wild birds, and no detections in poultry. [7, 8]

Australia

- **As of 8 September 2026**, there have been 502 positive events of H5 detected in wildlife. These events have been reported in South Australia (281), Victoria (155), Tasmania (32), New South Wales (22), Western Australia (10) and Queensland (2). [9]
- **On 28 August**, H5 bird flu was reported in the first land mammal in Australia – a red fox found in Adelaide. To date there have been three detections in red foxes, a second in South Australia, and the first in Victoria.[10, 11] There remain no detections in poultry or in the agricultural production system. The risk to human health remains low.[12]
- **On 23 August**, H5 bird flu was reported in the first mammal in Australia – a long-nosed fur seal in South Australia. [12]

Global updates

With the recent detections in New Zealand and Australia, influenza A(H5) has now been detected in birds and/or mammals in all continents.[13]

In the USA during 2026, H5N1 is being detected in wildbirds, commercial flocks, dairy milking cows, and other mammals.[14] The last reported human case of influenza A(H5) in the USA was October 2025.[15]

Other human cases of avian and swine influenza reported in 2026

Human cases of influenza A(H9N2)

Human cases of influenza A(H9N2) during 2026 to date are recorded in Table 2. Since 2015, 179 human cases of avian influenza A(H9N2) have been reported to WHO in the Western Pacific Region.[16]

Table 2 Influenza A(H9N2) human cases reported during 2026 to date

Report date	Location	Onset date	Case age and sex	
Influenza A(H9N2)				
9 February to 20 March 2026	Guangdong, China	17 January 2026	73-year-old female	[1]
9 February to 20 March 2026	Guangdong, China	20 January 2026	<5-year-old male	[1]
9 February to 20 March 2026	Guangxi, China	5 February 2026	63-year-old male	[1]
21 March 2026	Italy (ex-Senegal)	Mid-January 2026	Adult male	[1]
7 April to 6 May 2026	Guangdong, China	23 February 2026	<5-year-old male	[2]
7 April to 6 May 2026	Yunnan, China	3 March 2026	<5-year-old female	[2]
7 April to 6 May 2026	Jiangxi, China	20 March 2026	<5-year-old male	[2]
7 April to 6 May 2026	Guangxi, China	12 April 2026	<5-year-old male	[2]
7 April to 6 May 2026	Sichuan, China	25 April 2026	<5-year-old female	[2]
13 May to 11 June 2026	Yunnan, China	28 April 2026	< 5-year-old male	[17]
13 May to 11 June 2026	Guangxi, China	4 May 2026	>60-year-old female	[17]
13 May to 11 June 2026	Yunnan, China	17 May 2026	< 5-year-old female	[17]
13 May to 11 June 2026	Guangxi, China	31 May 2026	< 5-year-old male	[17]
12 June to 23 June 2026	Hong Kong Special Administrative Region (SAR)	9 June 2026	< 5-year-old male	[3]
12 June to 23 June 2026	Guangdong, China	12 June 2026	< 5-year-old female	[3]
7 July to 5 August 2026	Jiangsu, China	22 June 2026	< 5-year-old male	[5]
7 July to 5 August 2026	Guangxi, China	26 June 2026	< 5-year-old male	[5]
7 July to 5 August 2026	Guangdong, China	26 June 2026	Adult male	[5]
7 July to 5 August 2026	Jiangsu, China	5 July 2026	Adult female	[5]
7 July to 5 August 2026	Jiangsu, China	6 July 2026	< 5-year-old male	[5]
7 July to 5 August 2026	Gansu, China	11 July 2026	< 5-year-old female	[5]

7 July to 5 August 2026	Yunnan, China	13 Jul 2026	Adult female	[5]
7 July to 5 August 2026	Yunnan, China	28 July 2026	< 5-year-old female	[5]
14 August to 20 August 2026	Anhui, China	3 August 2026	< 5-year-old male	[18]
21 August to 27 August 2026	Beijing, China	15 August 2026	Child	[16]

Human cases of other influenza A subtypes

Human cases of influenza A(H1N1)v, A(H1N2)v, A(H3N2), A(H7N7), and A(H10N3) that have been reported during 2026 (to 10 September) are summarised in table 3.

Table 3 Other influenza subtypes reported during 2026 to date

Report date	Location	Onset date	Case age and sex	
Influenza A(H1N1)v				
February 2026	Catalonia, Spain	Not reported	Not reported	[19]
20 March 2026	Yunnan, China	30 January 2026	Child	[1]
2 May 2026	Nebraska, USA	Early April 2026	<18 years	[2]
Influenza A(H1N2)v				
3 February 2026	Yunnan, China	20 January 2026	Child	[1]
14 August 2026	Ionia County, USA	August 2026	<18	[20]
21 August 2026	Ionia County, USA	August 2026	<18	[20]
Influenza A(H3N2)				
26 January 2026	Brazil	1 September 2025	Male child	[1]
25 June 2026	Brazil	12 June 2026	Child	[3]
Influenza A(H7N7)				
3 April 2026	Taiwan	20 March 2026	Male adult >70 years	[21]
Influenza A(H10N3)				
9 February 2026	Guangdong, China	29 December 2025	34-year-old male	[1]

International risk assessment for influenza at the human-animal interface

As of 31 March 2026, the WHO advises that the overall public health risk from currently known influenza viruses at the human-animal interface remains low. Sustained human to human transmission of these viruses is currently considered unlikely; however, infections with viruses of animal origin are not unexpected at the human-animal interface wherever these viruses circulate in animals.[1] Consistent with this, the joint FAO/WHO/WOAH assessment on influenza A(H5) virus (updated on 18 May 2026, based on data as of 1 March 2026), concludes that the global public health risk remains low. The risk for occupationally or frequently exposed individuals (e.g., those in contact with backyard poultry) is assessed as low to moderate, depending on the effectiveness of risk mitigation, hygiene measures in place, and the local avian influenza epidemiological situation. While additional human infections among exposed populations are likely to occur, the overall public health impact at the global level remains minor [13]

Situational awareness: Global response limitations

Surveillance and response capacity for emerging viruses is likely to be affected by reduced funding for global health security and One Health programmes led by international organisations such as WHO and FAO as well as national agencies overseas.[22-24]

Middle East respiratory syndrome coronavirus (MERS-CoV)

- **As of 11 June 2026**, a total of 2,637 laboratory-confirmed human cases has been reported to WHO, with the majority from countries in the Arabian Peninsula. The estimated crude case fatality ratio is approximately 37%. The risk of further introduction and subsequent spread of MERS-CoV clade B strains in camel populations in the Nile Basin is MINOR. The risk of introduction and subsequent spread of MERS-CoV clade B strains from camel populations in the Nile Basin to other camel populations across bordering countries in Africa is MINOR. Once MERS-CoV clade B is introduced in camel populations in the Nile Basin countries, the risk of spillover to humans who are exposed to Infected camels or their products is HIGH.[25]
- As of 29 January 2026, the WHO's risk assessment remains moderate at the global and regional levels. The WHO considered that the exportation of cases from the Arabian Peninsula to France in December 2025 and the healthcare-associated clusters reported by Saudi Arabia during 2024-2025, demonstrates the ongoing risk of international spread to non-endemic countries and reflect the persistent circulation of MERS-CoV in the Middle East.[26] The WHO expects additional cases of MERS-CoV to be reported from the Middle East and/or other countries where MERS-CoV is circulating in dromedaries.
- In March 2026, early evidence suggests the first documented transmission of MERS-CoV from camels to occupationally exposed individual in Somalia. This signifies a documented spillover event that warrants monitoring.[27]
- To date, evidence from both molecular and serologic testing of reported cases indicates that human-to-human transmission of MERS-CoV remains limited. [28]

References

1. World Health Organization, *Influenza at the human-animal interface summary and risk assessment*, 31 March 2026. 31 March 2026.
2. World Health Organization, *Influenza at the human-animal interface Summary and risk assessment, from 1 April to 8 May 2026*. 8 May 2026.
3. World Health Organization, *Influenza at the human-animal interface Summary and risk assessment, from 13 June to 7 July 2026*. 7 July 2026.
4. World Health Organization, *Avian Influenza Weekly Update Number 1053*. 17 July 2026.
5. World Health Organization, *Influenza at the human-animal interface Summary and risk assessment, from 8 July to 7 August 2026*. 7 August 2026.
6. reliefweb. *Epidemic and emerging disease alerts in the Pacific as of 08 September 2026*. 2026 [cited 2026 10 September]; Available from: <https://reliefweb.int/map/world/epidemic-and-emerging-disease-alerts-pacific-08-september-2026>.
7. Ministry for Primary Industries. *About bird flu and the risk to New Zealand*. 2 September 2026 [cited 2026 3 September 2026]; Available from: <https://www.mpi.govt.nz/biosecurity/pest-and-disease-threats-to-new-zealand/animal-disease-threats-to-new-zealand/high-pathogenicity-avian-influenza/about-avian-influenza-and-the-risk-to-nz>.
8. Department of Conservation, *Bird flu work steps up – second case confirmed*. 2026.
9. Australian Government. *H5 bird flu events in wildlife*. 2026; Available from: https://www.agriculture.gov.au/campaigns/birdflu/latest-data#h1_bird_flu.
10. reliefweb. *Epidemic and emerging disease alerts in the Pacific as of 01 September 2026*. 2026 [cited 2026 10 September]; Available from: <https://reliefweb.int/map/world/epidemic-and-emerging-disease-alerts-pacific-01-september-2026>.
11. Australian Government. *Bird flu (Avian influenza)*. 2026 [cited 2026 10 September]; Available from: <https://www.agriculture.gov.au/campaigns/birdflu>.
12. Department of Agriculture, Fisheries and Forestry. *H5 bird flu updates*. 6 August 2026 [cited 2026 6 August]; Available from: <https://www.agriculture.gov.au/about/news/H5-bird-flu-updates>.
13. FAO/WHO/WOAH, *Updated joint FAO/WHO/WOAH public health assessment of recent high pathogenicity avian influenza A(H5) virus events in animals and people* 18 May 2026.
14. US Department of Agriculture. *H5N1 Influenza*. 2026 [cited 2026 3 September]; Available from: <https://www.aphis.usda.gov/h5n1-hpai>.
15. CDC. *A(H5) Bird Flu Surveillance and Human Monitoring*. 2026 [cited 2026 10 September]; Available from: <https://www.cdc.gov/bird-flu/h5-monitoring/index.html>.
16. World Health Organization, *Avian Influenza Weekly Update Number 1059* 28 August 2026.
17. World Health Organization, *Influenza at the human-animal interface summary and assessment, 12 June 2026*. 12 June 2026.
18. World Health Organization, *Avian Influenza Weekly Update Number 1058*. 21 August 2026.
19. European Centre for Disease Prevention and Control, *Communicable disease threats report Week 9, 21-27 February 2026*. 27 February 2026.
20. European Centre for Disease Prevention and Control, *Communicable disease threats report Week 35, 22-28 August 2026*. 28 August 2026.
21. European Centre for Disease Prevention and Control, *Communicable disease threats report, Week 15, 4–10 April 2026*. 10 April 2026.
22. Food and Agriculture Organization of the United Nations. *Briefing to Permanent Representatives Risks to FAO's Capacity for Preventing and Responding to Transboundary Animal Diseases Opening Remarks*. 19 June 2025 [cited 23 10 2025; Available from: <https://www.fao.org/director-general/speeches/details/briefing-to-permanent-representatives-risks-to-fao-s-capacity-for-preventing-and-responding-to-transboundary-animal-diseases-opening-remarks/en>.
23. Health Policy Watch. *WHO Budget Crisis Bigger Than Previously Thought – \$2.5 Billion Gap for 2025-2027*. 02 April 2025 [cited 23 10 2025; Available from: <https://healthpolicy-watch.news/who-budget-crisis-bigger-than-previously-thought-2-5-billion-gap-for-2025-2027/>.
24. Imperial College London. *UK-US experts discuss next generation of biosecurity infrastructure*. 26 September 2025 [cited 23 10 2023; Available from: <https://www.imperial.ac.uk/news/269033/uk-us-experts-discuss-next-generation-biosecurity/>.

25. FAO/WHO/WOAH, *Risk assessment of the introduction, spread, and zoonotic spillover of MERS-CoV Clade B in camel populations of the Nile Basin and Across Africa* 2026.
26. World Health Organization, *Rapid Risk Assessment-MERS-CoV, Eastern Mediterranean Region*. 29 January 2026.
27. Warsame M, A., J and Simniceanu, A et al., *First Evidence of Zoonotic Spillover of MERS-CoV into Occupationally Exposed Populations in Somalia*. SSRN, March 2026.
28. World Health Organization, *Middle East respiratory syndrome: global summary and assessment of risk*. 05 January 2026.